


S02-RD



Ordering dimensions in **blue**

Surface roughness	R_{tmax}	R_a
Sliding surface	$\leq 2,5 \mu m$	$0,05-0,3 \mu m$
Bottom of groove	$\leq 6,3 \mu m$	$\leq 1,6 \mu m$
Groove face	$\leq 15 \mu m$	$\leq 3 \mu m$

Bearing area: 50–95% and a cutting depth of $0,5 R_z$ based on $C_{ref} = 0\%$

Standard dimensions						Maximal radial extrusion gap		
d	f8	D	L	R_{max}	c	s^*		
over	incl.	H10	+ 0,2			20 bar	100 bar	250 bar
mm						mm		
16	25	d + 8	6,3	0,4	3,5	0,60	0,80	0,52
25	50	d + 10	8,0	0,4	4,0	1,00	1,00	0,66
50	150	d + 15	10,0	0,4	5,0	1,50	1,40	0,78
150	300	d + 20	14,0	0,4	6,0	2,00	1,66	0,88
300	500	d + 25	17,0	0,4	8,5	2,50	1,91	1,00
500	700	d + 30	25,0	0,4	10,0	3,00	2,18	1,13
700		d + 40	32,0	0,4	13,0	3,00	2,18	1,13

* Extrusion gap values shown above are valid for a temperature of 70 °C, higher temperatures require lower values.

Ordering example

Profile
d x D x L [mm]
Sealing material / Backup ring

Rod seal S02-RD
100 x 115 x 10
SKF Ecorubber-1 / SKF Ecotal

Operating parameters

Material Seal	Back-up ring	Temperature		Speed ¹⁾	Pressure ²⁾
		from	to	max	max
		°C		m/s	bar (MPa)
■ SKF Ecorubber-1	■ SKF Ecotal ³⁾ ■ SKF Ecomid ³⁾	-30	+100	0,5	250 (25)
■ SKF Ecorubber-2	■ SKF Ecoflon 2	-20	+200		
■ SKF Ecorubber-3	■ SKF Ecotal ³⁾ ■ SKF Ecomid ³⁾	-40	+100		
	■ SKF Ecoflon 2	-50	+150		
■ SKF Ecorubber-H	■ SKF Ecotal ³⁾ ■ SKF Ecomid ³⁾	-25	+100		
	■ SKF Ecoflon 2		+150		
■ SKF Ecoflas	■ SKF Ecopaek	-10	+200		

IMPORTANT NOTE: The stated operating conditions represent general indications. It is recommended not to use all maximum values simultaneously.

¹⁾ Surface speed limit values are valid only in the presence of a lubrication film.

²⁾ Pressure ratings depend on the size of the extrusion gap.

³⁾ D ≤ 260 mm → SKF Ecotal, D > 260 mm → SKF Ecomid.